

# 5 室用

エアコンだけを接続する場合

室内機の合計能力は15.6kW以下

※室外機の最大能力とは異なります。

※全室合計の長さが30mをこえる場合、こえる長さ1m当り20gの冷媒追加充填が必要です。

## ■5M1003AV (暖房)

室内機組合せ	暖房能力(外気7℃) (kW)					暖房低温能力(外気2℃) (kW)					電気特性							
	A室	B室	C室	D室	E室	合計能力	A室	B室	C室	D室	E室	合計能力	消費電力(W)					
1 室	2.2	3.20	7.1~8.8				3.20(2.47~4.86)	3.52				3.52	3.2(5.6)	640(470~1100)				
	2.8	4.00	8.8~11.0				4.00(2.47~4.86)	3.52				3.52	4.2(5.6)	840(470~1100)				
	3.6	5.00	11.0~13.8				5.00(2.47~5.95)	4.31				4.31	5.8(7.5)	1140(470~1480)				
	4.0	5.60	12.3~15.4				5.60(2.47~7.49)	5.42				5.42	6.7(10.6)	1330(470~2080)				
	5.0	7.10	15.6~19.6				7.10(2.47~8.25)	5.98				5.98	9.5(12.2)	1880(470~2410)				
	5.6	7.70	17.0~21.2				7.70(2.47~8.26)	5.98				5.98	10.9(12.1)	2150(470~2390)				
2 室	2.2+2.2	3.26	7.2~9.0	3.26	7.2~9.0		6.51(2.48~9.49)	3.44	3.44			6.88	7.5(12.9)	1490(470~2540)				
	2.2+2.8	3.26	7.2~9.0	4.14	9.1~11.4		7.40(2.48~9.49)	3.03	3.85			6.88	9.2(12.9)	1820(470~2540)				
	2.2+3.6	3.06	6.7~8.4	5.00	11.0~13.8		8.06(2.48~9.80)	2.69	4.41			7.10	10.4(13.7)	2060(470~2700)				
	2.2+4.0	2.98	6.6~8.2	5.41	11.9~14.9		8.39(2.48~9.80)	2.52	4.58			7.10	10.9(13.7)	2160(470~2700)				
	2.2+5.0	2.82	6.2~7.8	6.41	14.1~17.7		9.23(3.13~11.29)	2.50	5.68			8.18	12.6(17.5)	2500(590~3410)				
	2.2+5.6	2.68	5.9~7.4	6.81	15.0~18.8		9.49(3.13~11.44)	2.34	5.95			8.29	13.1(17.5)	2590(590~3450)				
	2.8+2.8	3.95	8.7~10.9	3.95	8.7~10.9		7.89(2.48~9.78)	3.55	3.55			7.09	9.9(13.7)	1970(470~2710)				
	2.8+3.6	3.75	8.3~10.3	4.82	10.6~13.3		8.56(2.48~10.54)	3.34	4.30			7.64	11.5(15.5)	2270(470~3050)				
	2.8+4.0	3.66	8.1~10.1	5.23	11.5~14.4		8.89(2.48~10.54)	3.15	4.49			7.64	12.0(15.4)	2370(470~3040)				
	2.8+5.0	3.41	7.5~9.4	6.08	13.4~16.7		9.49(3.13~11.44)	2.98	5.31			8.29	13.1(17.6)	2600(590~3470)				
	2.8+5.6	3.26	7.2~9.0	6.51	14.3~17.9		9.77(3.13~11.88)	2.87	5.74			8.61	13.9(18.7)	2760(590~3700)				
	3.6+3.6	4.62	10.2~12.7	4.62	10.2~12.7		9.23(2.64~11.29)	4.09	4.09			8.18	12.8(17.6)	2530(500~3470)				
	3.6+4.0	4.45	9.8~12.3	4.95	10.9~13.6		9.40(3.13~11.30)	3.88	4.31			8.19	13.3(17.5)	2630(600~3460)				
	3.6+5.0	4.13	9.1~11.4	5.74	12.7~15.8		9.87(3.13~11.90)	3.61	5.01			8.62	14.2(18.8)	2820(590~3710)				
	3.6+5.6	3.97	8.7~10.9	6.18	13.6~17.0		10.15(3.12~12.03)	3.41	5.31			8.72	14.7(19.3)	2920(590~3820)				
	4.0+4.0	4.79	10.6~13.2	4.79	10.6~13.2		9.58(3.13~11.44)	4.15	4.15			8.29	13.5(18.1)	2680(590~3570)				
	4.0+5.0	4.47	9.9~12.3	5.58	12.3~15.4		10.05(3.12~11.90)	3.83	4.79			8.62	14.5(18.7)	2870(590~3700)				
	4.0+5.6	4.31	9.5~11.9	6.03	13.3~16.6		10.34(3.12~12.03)	3.63	5.09			8.72	15.3(19.2)	3020(590~3800)				
5.0+5.0	5.26	11.6~14.5	5.26	11.6~14.5		10.52(3.12~12.03)	4.36	4.36			8.72	15.4(18.7)	3050(590~3700)					
5.0+5.6	5.10	11.2~14.0	5.71	12.6~15.7		10.81(3.12~12.34)	4.22	4.72			8.94	15.9(19.5)	3150(590~3860)					
5.6+5.6	5.50	12.1~15.2	5.50	12.1~15.2		11.00(3.12~12.49)	4.53	4.53			9.05	16.4(19.7)	3240(590~3900)					
3 室	2.2+2.2+2.2	2.91	6.4~8.0	2.91	6.4~8.0	2.91	6.4~8.0					8.73(3.27~10.56)	2.55	2.55	2.55	7.65	10.4(14.2)	2050(590~2800)
	2.2+2.2+2.8	2.82	6.2~7.8	2.82	6.2~7.8	3.59	7.9~9.9					9.23(3.27~11.32)	2.51	2.51	3.18	8.20	11.3(16.0)	2230(590~3150)
	2.2+2.2+3.6	2.63	5.8~7.2	2.63	5.8~7.2	4.31	9.5~11.9					9.58(3.26~11.44)	2.28	2.28	3.73	8.29	11.7(16.2)	2320(590~3190)
	2.2+2.2+4.0	2.56	5.6~7.1	2.56	5.6~7.1	4.65	10.2~12.8					9.77(3.26~11.90)	2.26	2.26	4.10	8.62	12.1(17.2)	2400(590~3390)
	2.2+2.2+5.0	2.40	5.3~6.6	2.40	5.3~6.6	5.45	12.0~15.0					10.24(3.26~12.03)	2.04	2.04	4.64	8.72	12.7(17.2)	2520(580~3400)
	2.2+2.2+5.6	2.31	5.1~6.4	2.31	5.1~6.4	5.89	13.0~16.2					10.52(3.25~12.03)	1.92	1.92	4.88	8.72	13.1(16.9)	2600(580~3330)
	2.2+2.8+2.8	2.68	5.9~7.4	3.41	7.5~9.4	3.41	7.5~9.4					9.49(3.27~11.45)	2.34	2.98	2.98	8.30	11.7(16.2)	2320(590~3200)
	2.2+2.8+3.6	2.52	5.6~6.9	3.21	7.1~8.8	4.13	9.1~11.4					9.87(3.26~11.90)	2.21	2.81	3.60	8.62	12.4(17.2)	2460(590~3400)
	2.2+2.8+4.0	2.46	5.4~6.8	3.13	6.9~8.6	4.47	9.9~12.3					10.05(3.26~11.90)	2.11	2.68	3.83	8.62	12.6(17.2)	2500(590~3390)
	2.2+2.8+5.0	2.31	5.1~6.4	2.95	6.5~8.1	5.26	11.6~14.5					10.52(3.26~12.03)	1.92	2.44	4.36	8.72	13.2(17.2)	2610(580~3400)
	2.2+2.8+5.6	2.24	4.9~6.2	2.86	6.3~7.9	5.71	12.6~15.7					10.81(3.25~12.32)	1.85	2.36	4.72	8.93	13.8(17.7)	2740(580~3490)
	2.2+3.6+3.6	2.40	5.3~6.6	3.92	8.6~10.8	3.92	8.6~10.8					10.24(3.26~12.03)	2.04	3.34	3.34	8.72	13.1(17.5)	2590(590~3450)
	2.2+3.6+4.0	2.34	5.2~6.4	3.83	8.4~10.6	4.26	9.4~11.7					10.43(3.25~12.03)	1.96	3.20	3.56	8.72	13.3(17.4)	2630(590~3440)
	2.2+3.6+5.0	2.22	4.9~6.1	3.63	8.0~10.0	5.04	11.1~13.9					10.90(3.25~12.32)	1.82	2.98	4.13	8.93	14.1(17.7)	2790(580~3500)
	2.2+3.6+5.6	2.12	4.7~5.8	3.47	7.6~9.6	5.41	11.9~14.9					11.00(3.25~12.46)	1.74	2.85	4.44	9.03	14.0(17.9)	2780(580~3530)
	2.2+4.0+4.0	2.30	5.1~6.3	4.16	9.2~11.5	4.16	9.2~11.5					10.62(3.25~12.32)	1.93	3.50	3.50	8.93	13.5(18.2)	2670(590~3590)
	2.2+4.0+5.0	2.16	4.8~6.0	3.93	8.7~10.8	4.91	10.8~13.5					11.00(3.25~12.46)	1.77	3.23	4.03	9.03	14.1(17.9)	2790(580~3540)
	2.2+4.0+5.6	2.05	4.5~5.6	3.73	8.2~10.3	5.22	11.5~14.4					11.00(3.24~12.46)	1.68	3.06	4.29	9.03	14.0(17.8)	2770(580~3520)
	2.2+5.0+5.0	1.98	4.4~5.5	4.51	9.9~12.4	4.51	9.9~12.4					11.00(3.24~12.60)	1.65	3.74	3.74	9.13	13.9(17.9)	2760(580~3540)
	2.2+5.0+5.6	1.89	4.2~5.2	4.30	9.5~11.8	4.81	10.6~13.3					11.00(3.24~12.60)	1.57	3.57	3.99	9.13	13.9(17.9)	2750(580~3530)
	2.2+5.6+5.6	1.80	4.0~5.0	4.60	10.1~12.7	4.60	10.1~12.7					11.00(3.24~12.59)	1.50	3.81	3.81	9.12	13.8(17.5)	2730(580~3460)
	2.8+2.8+2.8	3.26	7.2~9.0	3.26	7.2~9.0	3.26	7.2~9.0					9.77(3.27~11.91)	2.88	2.88	2.88	8.63	12.2(17.3)	2410(590~3410)
	2.8+2.8+3.6	3.09	6.8~8.5	3.09	6.8~8.5	3.97	8.7~10.9					10.15(3.26~12.02)	2.65	2.65	3.41	8.71	12.9(17.5)	2550(590~3460)
	2.8+2.8+4.0	3.02	6.7~8.3	3.02	6.7~8.3	4.31	9.5~11.9					10.34(3.26~12.02)	2.54	2.54	3.63	8.71	13.1(17.5)	2590(590~3450)
	2.8+2.8+5.0	2.86	6.3~7.9	2.86	6.3~7.9	5.11	11.3~14.1					10.81(3.26~12.32)	2.36	2.36	4.21	8.93	13.9(17.7)	2750(580~3500)
	2.8+2.8+5.6	2.75	6.1~7.6	2.75	6.1~7.6	5.50	12.1~15.2					11.00(3.25~12.48)	2.26	2.26	4.52	9.04	14.1(17.9)	2750(580~3540)
	2.8+3.6+3.6	2.95	6.5~8.1	3.79	8.4~10.4	3.79	8.4~10.4					10.52(3.26~12.03)	2.44	3.14	3.14	8.72	13.6(17.5)	2690(590~3450)
	2.8+3.6+4.0	2.88	6.3~7.9	3.71	8.2~10.2	4.11	9.1~11.3					10.71(3.25~12.31)	2.40	3.09	3.43	8.92	13.8(18.2)	2730(590~3600)
	2.8+3.6+5.0	2.70	6.0~7.4	3.47	7.6~9.6	4.83	10.6~13.3					11.00(3.25~12.46)	2.22	2.85	3.96	9.03	14.1(18.0)	2790(580~3550)
	2.8+3.6+5.6	2.57	5.7~7.1	3.30	7.3~9.1	5.13	11.3~14.1					11.00(3.25~12.46)	2.11	2.71	4.21	9.03	14.0(17.9)	2780(580~3530)
	2.8+4.0+4.0	2.83	6.2~7.8	4.04	8.9~11.1	4.04	8.9~11.1					10.90(3.25~12.32)	2.31	3.31	3.31	8.93	14.2(18.2)	2820(590~3590)
	2.8+4.0+5.0	2.61	5.8~7.2	3.73	8.2~10.3	4.66	10.3~12.8					11.00(3.25~12.46)	2.14	3.06	3.83	9.03	14.1(17.9)	2790(580~3540)
	2.8+4.0+5.6	2.48	5.5~6.8	3.55	7.8~9.8	4.97	11.0~13.7					11.00(3.24~12.60)	2.06	2.95	4.12	9.13	14.0(18.1)	2770(580~3570)
	2.8+5.0+5.0	2.40	5.3~6.6	4.30	9.5~11.8	4.30	9.5~11.8					11.00(3.24~12.60)	1.99	3.57	3.57	9.13	13.9(17.9)	2760(580~3540)
	2.8+5.0+5.6	2.30	5.1~6.3	4.10	9.0~11.3	4.60	10.1~12.7					11.00(3.24~12.60)	1.91	3.41	3.81	9.13	13.9(17.9)	2750(580~3530)
	2.8+5.6+5.6	2.20	4.8~6.1	4.40	9.7~12.1	4.40	9.7~12.1					11.00(3.24~12.59)	1.82	3.65	3.65	9.12	13.8(17.5)	2730(580~3460)
3.6+3.6+3.6	3.63	8.0~10.0	3.63	8.0~10.0	3.63	8.0~10.0					10.90(3.25~12.32)	2.98	2.98	2.98	8.93	14.3(18.2)	2830(590~3600)	
3.6+3.6+4.0	3.54	7.8~9.8	3.54	7.8~9.8	3.92	8.6~10.8					11.00(3.25~12.46)	2.90	2.90	3.23	9.03	14.5(18.4)	2870(590~3640)	
3.6+3.6+5.0	3.25	7.2~9.0	3.25	7.2~9.0	4.50	9.9~12.4					11.00(3.24~12.59)	2.69	2.69	3.74	9.12	14.1(18.5)	2790(580~3650)	
3.6+3.6+5.6	3.09	6.8~8.5	3.09	6.8~8.5	4.82	10.6~13.3					11.00(3.24~12.60)	2.57	2.57	3.99	9.13	14.0(18.1)	2780(580~3580)	
3.6+4.0+4.0	3.42	7.5~9.4	3															

5 室用

■5M1003AV (暖房)

室内機組合せ	暖房能力(外気7℃)(kW)										暖房低温能力(外気2℃)(kW)					電気特性		
	A室	B室	C室	D室	E室	合計能力	A室	B室	C室	D室	E室	合計能力	運転電流(A) (最大)	消費電力(W)				
2.2+2.2+2.2+2.2	2.49	5.5~6.9	2.49	5.5~6.9	2.49	5.5~6.9	2.49	5.5~6.9	2.49	5.5~6.9	9.96(3.36~12.36)	2.24	2.24	2.24	2.24	8.96	12.0(17.0)	2380(610~3360)
2.2+2.2+2.2+2.8	2.40	5.3~6.6	2.40	5.3~6.6	2.40	5.3~6.6	2.40	5.3~6.6	2.40	5.3~6.6	10.24(3.36~12.36)	2.20	2.10	2.10	2.66	8.96	12.5(17.0)	2470(610~3360)
2.2+2.2+2.2+3.6	2.29	5.0~6.3	2.29	5.0~6.3	2.29	5.0~6.3	2.29	5.0~6.3	2.29	5.0~6.3	10.62(3.35~12.48)	1.95	1.95	1.95	3.19	9.04	13.1(17.2)	2590(580~3400)
2.2+2.2+2.2+4.0	2.24	4.9~6.2	2.24	4.9~6.2	2.24	4.9~6.2	2.24	4.9~6.2	2.24	4.9~6.2	10.81(3.34~12.46)	1.87	1.87	1.87	3.41	9.03	13.3(17.2)	2630(580~3400)
2.2+2.2+2.2+5.0	2.09	4.6~5.8	2.09	4.6~5.8	2.09	4.6~5.8	2.09	4.6~5.8	2.09	4.6~5.8	11.00(3.34~12.57)	1.73	1.73	1.73	3.92	9.11	13.4(17.1)	2660(580~3370)
2.2+2.2+2.2+5.6	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	11.00(3.33~12.54)	1.64	1.64	1.64	4.17	9.09	13.4(17.0)	2650(570~3360)
2.2+2.2+2.8+2.8	2.31	5.1~6.4	2.31	5.1~6.4	2.31	5.1~6.4	2.31	5.1~6.4	2.31	5.1~6.4	10.52(3.36~12.36)	1.97	1.97	2.51	2.51	8.96	12.9(17.0)	2550(610~3360)
2.2+2.2+2.8+3.6	2.22	4.9~6.1	2.22	4.9~6.1	2.22	4.9~6.1	2.22	4.9~6.1	2.22	4.9~6.1	10.90(3.35~12.46)	1.84	1.84	2.34	3.01	9.03	13.5(17.2)	2680(580~3400)
2.2+2.2+2.8+4.0	2.16	4.8~6.0	2.16	4.8~6.0	2.16	4.8~6.0	2.16	4.8~6.0	2.16	4.8~6.0	11.00(3.34~12.46)	1.77	1.77	2.26	3.23	9.03	13.5(17.2)	2670(580~3400)
2.2+2.2+2.8+5.0	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	11.00(3.34~12.56)	1.64	1.64	2.09	3.73	9.10	13.4(17.1)	2660(580~3370)
2.2+2.2+2.8+5.6	1.89	4.2~5.2	1.89	4.2~5.2	1.89	4.2~5.2	1.89	4.2~5.2	1.89	4.2~5.2	11.00(3.33~12.54)	1.56	1.56	1.99	3.98	9.09	13.4(17.0)	2650(570~3360)
2.2+2.2+3.6+3.6	2.09	4.6~5.8	2.09	4.6~5.8	2.09	4.6~5.8	2.09	4.6~5.8	2.09	4.6~5.8	11.00(3.34~12.56)	1.73	1.73	2.82	2.82	9.10	13.5(17.0)	2670(580~3450)
2.2+2.2+3.6+4.0	2.02	4.5~5.6	2.02	4.5~5.6	2.02	4.5~5.6	2.02	4.5~5.6	2.02	4.5~5.6	11.00(3.33~12.56)	1.67	1.67	2.73	3.03	9.10	13.5(17.0)	2670(580~3440)
2.2+2.2+3.6+5.0	1.86	4.1~5.1	1.86	4.1~5.1	1.86	4.1~5.1	1.86	4.1~5.1	1.86	4.1~5.1	11.00(3.32~12.53)	1.54	1.54	2.51	3.49	9.08	13.4(17.1)	2650(580~3370)
2.2+2.2+3.6+5.6	1.78	3.9~4.9	1.78	3.9~4.9	1.78	3.9~4.9	1.78	3.9~4.9	1.78	3.9~4.9	11.00(3.32~12.65)	1.48	1.48	2.43	3.78	9.17	13.4(17.2)	2650(570~3400)
2.2+2.2+4.0+4.0	1.95	4.3~5.4	1.95	4.3~5.4	1.95	4.3~5.4	1.95	4.3~5.4	1.95	4.3~5.4	11.00(3.33~12.53)	1.61	1.61	2.93	2.93	9.08	13.5(17.4)	2670(580~3430)
2.2+2.2+4.0+5.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	11.00(3.32~12.65)	1.51	1.51	2.74	3.41	9.17	13.4(17.0)	2650(570~3410)
2.2+2.2+4.0+5.6	1.73	3.8~4.8	1.73	3.8~4.8	1.73	3.8~4.8	1.73	3.8~4.8	1.73	3.8~4.8	11.00(3.31~12.63)	1.44	1.44	2.61	3.66	9.15	13.3(17.2)	2640(570~3400)
2.2+2.2+5.0+5.0	1.68	3.7~4.6	1.68	3.7~4.6	1.68	3.7~4.6	1.68	3.7~4.6	1.68	3.7~4.6	11.00(3.31~12.61)	1.40	1.40	3.17	3.17	9.14	13.3(16.9)	2640(570~3340)
2.2+2.2+5.0+5.6	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	11.00(3.31~12.75)	1.36	1.36	3.08	3.44	9.24	13.3(17.1)	2630(570~3370)
2.2+2.2+5.6+5.6	1.55	3.4~4.3	1.55	3.4~4.3	1.55	3.4~4.3	1.55	3.4~4.3	1.55	3.4~4.3	11.00(3.30~12.72)	1.30	1.30	3.31	3.31	9.22	13.0(17.1)	2580(570~3370)
2.2+2.8+2.8+2.8	2.25	5.0~6.2	2.25	5.0~6.2	2.25	5.0~6.2	2.25	5.0~6.2	2.25	5.0~6.2	10.81(3.36~12.36)	1.85	2.37	2.37	2.37	8.96	13.0(17.0)	2640(610~3360)
2.2+2.8+2.8+3.6	2.12	4.7~5.8	2.12	4.7~5.8	2.12	4.7~5.8	2.12	4.7~5.8	2.12	4.7~5.8	11.00(3.35~12.46)	1.74	2.22	2.22	2.85	9.03	13.5(17.2)	2680(580~3400)
2.2+2.8+2.8+4.0	2.05	4.5~5.6	2.05	4.5~5.6	2.05	4.5~5.6	2.05	4.5~5.6	2.05	4.5~5.6	11.00(3.34~12.45)	1.68	2.14	2.14	3.06	9.02	13.5(17.2)	2670(580~3400)
2.2+2.8+2.8+5.0	1.89	4.2~5.2	1.89	4.2~5.2	1.89	4.2~5.2	1.89	4.2~5.2	1.89	4.2~5.2	11.00(3.34~12.57)	1.57	1.99	1.99	3.56	9.11	13.4(17.1)	2660(580~3370)
2.2+2.8+2.8+5.6	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	11.00(3.33~12.54)	1.49	1.90	1.90	3.80	9.09	13.4(17.0)	2650(570~3360)
2.2+2.8+3.6+3.6	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	1.98	4.4~5.5	11.00(3.34~12.57)	1.64	2.09	2.69	2.69	9.11	13.5(17.5)	2670(580~3450)
2.2+2.8+3.6+4.0	1.92	4.2~5.3	1.92	4.2~5.3	1.92	4.2~5.3	1.92	4.2~5.3	1.92	4.2~5.3	11.00(3.33~12.56)	1.59	2.02	2.60	2.89	9.10	13.5(17.0)	2670(580~3440)
2.2+2.8+3.6+5.0	1.78	3.9~4.9	1.78	3.9~4.9	1.78	3.9~4.9	1.78	3.9~4.9	1.78	3.9~4.9	11.00(3.32~12.53)	1.47	1.87	2.40	3.34	9.08	13.4(17.1)	2650(580~3370)
2.2+2.8+3.6+5.6	1.70	3.7~4.7	1.70	3.7~4.7	1.70	3.7~4.7	1.70	3.7~4.7	1.70	3.7~4.7	11.00(3.32~12.65)	1.42	1.81	2.32	3.62	9.17	13.4(17.2)	2650(570~3400)
2.2+2.8+4.0+4.0	1.86	4.1~5.1	1.86	4.1~5.1	1.86	4.1~5.1	1.86	4.1~5.1	1.86	4.1~5.1	11.00(3.33~12.54)	1.53	1.96	2.80	2.80	9.09	13.5(17.4)	2670(580~3430)
2.2+2.8+4.0+5.0	1.73	3.8~4.8	1.73	3.8~4.8	1.73	3.8~4.8	1.73	3.8~4.8	1.73	3.8~4.8	11.00(3.32~12.65)	1.44	1.83	2.62	3.28	9.17	13.4(17.0)	2650(570~3410)
2.2+2.8+4.0+5.6	1.66	3.7~4.6	1.66	3.7~4.6	1.66	3.7~4.6	1.66	3.7~4.6	1.66	3.7~4.6	11.00(3.31~12.63)	1.38	1.75	2.51	3.51	9.15	13.3(17.2)	2640(570~3400)
2.2+2.8+5.0+5.0	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	11.00(3.31~12.61)	1.33	1.71	3.05	3.05	9.14	13.3(16.9)	2640(570~3340)
2.2+2.8+5.0+5.6	1.55	3.4~4.3	1.55	3.4~4.3	1.55	3.4~4.3	1.55	3.4~4.3	1.55	3.4~4.3	11.00(3.31~12.75)	1.30	1.66	2.96	3.32	9.24	13.3(17.1)	2630(570~3370)
2.2+3.6+3.6+3.6	1.85	4.1~5.1	1.85	4.1~5.1	1.85	4.1~5.1	1.85	4.1~5.1	1.85	4.1~5.1	11.00(3.32~12.54)	1.53	2.52	2.52	2.52	9.09	13.5(17.4)	2670(580~3440)
2.2+3.6+3.6+4.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	1.81	4.0~5.0	11.00(3.32~12.65)	1.51	2.46	2.46	2.74	9.17	13.5(17.6)	2670(580~3480)
2.2+3.6+3.6+5.0	1.68	3.7~4.6	1.68	3.7~4.6	1.68	3.7~4.6	1.68	3.7~4.6	1.68	3.7~4.6	11.00(3.31~12.63)	1.40	2.29	2.29	3.17	9.15	13.4(17.0)	2650(580~3410)
2.2+3.6+3.6+5.6	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	1.61	3.5~4.4	11.00(3.31~12.60)	1.34	2.19	2.19	3.41	9.13	13.4(17.3)	2650(570~3350)
2.2+3.6+4.0+4.0	1.75	3.9~4.8	1.75	3.9~4.8	1.75	3.9~4.8	1.75	3.9~4.8	1.75	3.9~4.8	11.00(3.31~12.64)	1.45	2.39	2.66	2.66	9.16	13.4(17.4)	2660(580~3430)
2.2+3.6+4.0+5.0	1.64	3.6~4.5	1.64	3.6~4.5	1.64	3.6~4.5	1.64	3.6~4.5	1.64	3.6~4.5	11.00(3.31~12.60)	1.36	2.22	2.47	3.08	9.13	13.4(17.0)	2650(570~3360)
2.2+3.6+4.0+5.6	1.57	3.5~4.3	1.57	3.5~4.3	1.57	3.5~4.3	1.57	3.5~4.3	1.57	3.5~4.3	11.00(3.30~12.72)	1.32	2.16	2.39	3.35	9.22	13.3(17.2)	2640(570~3390)
2.2+4.0+4.0+4.0	1.70	3.7~4.7	1.70	3.7~4.7	1.70	3.7~4.7	1.70	3.7~4.7	1.70	3.7~4.7	11.00(3.31~12.61)	1.42	2.57	2.57	2.57	9.14	13.4(17.3)	2660(580~3420)
2.2+4.0+4.0+5.0	1.59	3.5~4.4	1.59	3.5~4.4	1.59	3.5~4.4	1.59	3.5~4.4	1.59	3.5~4.4	11.00(3.30~12.72)	1.33	2.43	2.43	3.03	9.22	13.3(17.2)	2640(570~3400)
2.8+2.8+2.8+2.8	2.75	6.1~7.6	2.75	6.1~7.6	2.75	6.1~7.6	2.75	6.1~7.6	2.75	6.1~7.6	11.00(3.36~12.36)	2.24	2.24	2.24	2.24	8.96	13.5(17.0)	2680(610~3360)
2.8+2.8+2.8+3.6	2.57	5.7~7.1	2.57	5.7~7.1	2.57	5.7~7.1	2.57	5.7~7.1	2.57	5.7~7.1	11.00(3.35~12.48)	2.11	2.11	2.11	2.71	9.04	13.5(17.2)	2680(580~3400)
2.8+2.8+2.8+4.0	2.48	5.5~6.8	2.48	5.5~6.8	2.48	5.5~6.8	2.48	5.5~6.8	2.48	5.5~6.8	11.00(3.34~12.46)	2.04	2.04	2.04	2.91	9.03	13.5(17.2)	2670(580~3400)
2.8+2.8+2.8+5.0	2.30	5.1~6.3	2.30	5.1~6.3	2.30	5.1~6.3	2.30	5.1~6.3	2.30	5.1~6.3	11.00(3.34~12.56)	1.90	1.90	1.90	3.40	9.10	13.4(17.1)	2660(580~3370)
2.8+2.8+2.8+5.6	2.20	4.8~6.1	2.20	4.8~6.1	2.20	4.8~6.1	2.20	4.8~6.1	2.20	4.8~6.1	11.00(3.33~12.54)	1.82	1.82	1.82	3.63	9.09	13.4(17.0)	2650(570~3360)
2.8+2.8+3.6+3.6	2.41	5.3~6.6	2.41	5.3~6.6	2.41	5.3~6.6	2.41	5.3~6.6	2.41	5.3~6.6	11.00(3.34~12.56)	1.99	1.99	2.56	2.56	9.10	13.5(17.5)	2670(580~3450)
2.8+2.8+3.6+4.0	2.33	5.1~6.4	2.33	5.1~6.4	2.33	5.1~6.4	2.33	5.1~6.4	2.33	5.1~6.4	11.00(3.33~12.56)	1.93	1.93	2.48	2.76	9.10	13.5(17.4)	2670(580~3440)
2.8+2.8+3.6+5.0	2.17	4.8~6.0	2.17	4.8~6.0	2.17	4.8~6.0	2.17	4.8~6.0	2.17	4.8~6.0	11.00(3.32~12.53)	1.79	1.79	2.30	3.20	9.08	13.4(17.1)	2650(580~3370)
2.8+2.8+3.6+5.6	2.08	4.6~5.7	2.08	4.6~5.7	2.08	4.6~5.7	2.08	4.6~5.7	2.08	4.6~5.7	11.00(3.32~12.64)	1.73	1.73	2.23	3.47	9.16	13.4(17.2)	



# 5 室用

## ■5M1003AV (冷房)

室内機組合せ		冷房能力(kW)						電気特性			
		A室		B室		C室	D室	E室	合計能力	運転電流(A)	消費電力(W)
1	2.2	2.20	6.1~9.2						2.20(2.06~3.85)	2.7	540(520~970)
	2.8	2.80	7.7~11.7						2.80(2.06~3.85)	3.3	650(520~970)
	3.6	3.60	9.9~15.0						3.60(2.09~5.02)	4.5	890(520~1430)
	4.0	4.00	11.0~16.7						4.00(2.10~5.63)	5.1	1010(520~1750)
	5.0	5.00	13.8~20.9						5.00(2.23~5.67)	7.0	1390(520~1700)
	5.6	5.60	15.4~23.4						5.60(2.11~5.70)	8.4	1660(520~1700)
2	2.2+2.2	2.20	6.1~9.2	2.20	6.1~9.2				4.40(2.37~6.08)	4.9	980(520~1600)
	2.2+2.8	2.20	6.1~9.2	2.80	7.7~11.7				5.00(2.37~6.40)	6.0	1190(520~1740)
	2.2+3.6	2.20	6.1~9.2	3.60	9.9~15.0				5.80(2.39~7.04)	7.4	1460(520~2040)
	2.2+4.0	2.20	6.1~9.2	4.00	11.0~16.7				6.20(2.40~7.08)	8.3	1650(520~2090)
	2.2+5.0	2.18	6.0~9.1	4.97	13.7~20.8				7.15(2.40~7.77)	10.6	2090(520~2460)
	2.2+5.6	2.14	5.9~8.9	5.46	15.0~22.8				7.60(2.40~8.22)	11.9	2350(520~2840)
	2.8+2.8	2.80	7.7~11.7	2.80	7.7~11.7				5.60(2.37~6.40)	7.2	1420(520~1740)
	2.8+3.6	2.80	7.7~11.7	3.60	9.9~15.0				6.40(2.39~7.04)	8.8	1740(520~2040)
	2.8+4.0	2.80	7.7~11.7	4.00	11.0~16.7				6.80(2.40~7.39)	9.8	1940(520~2290)
	2.8+5.0	2.73	7.5~11.4	4.87	13.4~20.4				7.60(2.69~8.21)	11.9	2350(520~2840)
	2.8+5.6	2.68	7.4~11.2	5.37	14.8~22.4				8.05(2.69~8.43)	13.5	2670(520~3010)
	3.6+3.6	3.58	9.9~15.0	3.58	9.9~15.0				7.15(2.69~7.77)	10.8	2140(520~2550)
	3.6+4.0	3.53	9.7~14.8	3.92	10.8~16.4				7.45(2.70~8.11)	11.6	2290(520~2820)
	3.6+5.0	3.43	9.4~14.3	4.77	13.1~19.9				8.20(2.70~8.53)	14.3	2840(520~3170)
	3.6+5.6	3.38	9.3~14.1	5.27	14.5~22.0				8.65(2.71~8.68)	16.6	3290(520~3350)
	4.0+4.0	3.88	10.7~16.2	3.88	10.7~16.2				7.75(2.70~8.27)	12.9	2550(520~2990)
	4.0+5.0	3.78	10.4~15.8	4.72	13.0~19.7				8.50(2.85~8.66)	15.8	3120(520~3350)
	4.0+5.6	3.64	10.0~15.2	5.09	14.0~21.3				8.74(2.71~8.74)	17.5	3470(520~3470)
	5.0+5.0	4.39	12.1~18.3	4.39	12.1~18.3				8.78(2.86~8.78)	17.0	3360(520~3360)
	5.0+5.6	4.15	11.4~17.3	4.64	12.8~19.4				8.79(2.72~8.79)	16.7	3310(520~3310)
5.6+5.6	4.40	12.1~18.4	4.40	12.1~18.4				8.80(2.72~8.80)	16.7	3310(520~3310)	
3	2.2+2.2+2.2	2.20	6.1~9.2	2.20	6.1~9.2	2.20	6.1~9.2		6.60(2.58~8.76)	8.0	1590(520~2590)
	2.2+2.2+2.8	2.18	6.0~9.1	2.18	6.0~9.1	2.79	7.7~11.7		7.15(2.74~9.00)	9.0	1790(520~2760)
	2.2+2.2+3.6	2.13	5.9~8.9	2.13	5.9~8.9	3.49	9.6~14.6		7.75(2.75~9.76)	10.3	2040(520~3370)
	2.2+2.2+4.0	2.11	5.8~8.8	2.11	5.8~8.8	3.83	10.6~16.0		8.05(2.76~9.79)	11.1	2200(520~3430)
	2.2+2.2+5.0	2.06	5.7~8.6	2.06	5.7~8.6	4.68	12.9~19.6		8.80(2.76~10.00)	13.1	2600(520~3510)
	2.2+2.2+5.6	2.04	5.6~8.5	2.04	5.6~8.5	5.17	14.2~21.6		9.25(2.76~10.00)	14.6	2890(520~3510)
	2.2+2.8+2.8	2.14	5.9~8.9	2.73	7.5~11.4	2.73	7.5~11.4		7.60(2.74~9.69)	10.1	1990(520~3310)
	2.2+2.8+3.6	2.10	5.8~8.8	2.67	7.4~11.2	3.43	9.4~14.3		8.20(2.75~9.76)	11.4	2260(520~3370)
	2.2+2.8+4.0	2.08	5.7~8.7	2.64	7.3~11.0	3.78	10.4~15.8		8.50(2.76~9.96)	12.2	2420(520~3620)
	2.2+2.8+5.0	2.04	5.6~8.5	2.59	7.1~10.8	4.62	12.7~19.3		9.25(2.76~10.00)	14.6	2890(520~3510)
	2.2+2.8+5.6	2.01	5.5~8.4	2.56	7.1~10.7	5.13	14.1~21.4		9.70(2.76~10.00)	16.5	3260(520~3510)
	2.2+3.6+3.6	2.06	5.7~8.6	3.37	9.3~14.1	3.37	9.3~14.1		8.80(2.76~10.00)	13.4	2650(520~3620)
	2.2+3.6+4.0	2.04	5.6~8.5	3.34	9.2~14.0	3.72	10.2~15.5		9.10(2.77~10.03)	14.2	2820(520~3680)
	2.2+3.6+5.0	2.01	5.5~8.4	3.28	9.0~13.7	4.56	12.6~19.1		9.85(2.77~10.07)	17.1	3380(520~3640)
	2.2+3.6+5.6	1.93	5.3~8.1	3.16	8.7~13.2	4.91	13.5~20.5		10.00(2.77~10.07)	17.7	3510(530~3580)
	2.2+4.0+4.0	2.02	5.6~8.4	3.69	10.2~15.4	3.69	10.2~15.4		9.40(2.77~10.07)	15.5	3060(520~3750)
	2.2+4.0+5.0	1.96	5.4~8.2	3.57	9.8~14.9	4.47	12.3~18.7		10.00(2.78~10.10)	18.0	3570(530~3640)
	2.2+4.0+5.6	1.86	5.1~7.8	3.39	9.3~14.2	4.75	13.1~19.9		10.00(2.78~10.11)	17.7	3510(530~3640)
	2.2+5.0+5.0	1.80	5.0~7.5	4.10	11.3~17.1	4.10	11.3~17.1		10.00(2.78~10.13)	17.5	3460(530~3590)
	2.2+5.0+5.6	1.72	4.7~7.2	3.91	10.8~16.3	4.37	12.0~18.3		10.00(2.78~10.14)	17.2	3400(530~3590)
	2.2+5.6+5.6	1.64	4.5~6.9	4.18	11.5~17.5	4.18	11.5~17.5		10.00(2.78~10.14)	17.2	3400(530~3530)
	2.8+2.8+2.8	2.68	7.4~11.2	2.68	7.4~11.2	2.68	7.4~11.2		8.05(2.74~9.69)	11.1	2200(520~3310)
	2.8+2.8+3.6	2.63	7.2~11.0	2.63	7.2~11.0	3.39	9.3~14.2		8.65(2.75~9.93)	12.8	2530(520~3560)
	2.8+2.8+4.0	2.61	7.2~10.9	2.61	7.2~10.9	3.73	10.3~15.6		8.95(2.76~9.96)	13.7	2710(520~3620)
	2.8+2.8+5.0	2.56	7.1~10.7	2.56	7.1~10.7	4.58	12.6~19.1		9.70(2.76~10.00)	16.5	3260(520~3510)
	2.8+2.8+5.6	2.50	6.9~10.4	2.50	6.9~10.4	5.00	13.8~20.9		10.00(2.76~10.00)	17.7	3510(520~3510)
	2.8+3.6+3.6	2.59	7.1~10.8	3.33	9.2~13.9	3.33	9.2~13.9		9.25(2.76~10.00)	14.8	2940(520~3620)
	2.8+3.6+4.0	2.57	7.1~10.7	3.31	9.1~13.8	3.67	10.1~15.3		9.55(2.77~10.03)	16.1	3180(520~3680)
	2.8+3.6+5.0	2.46	6.8~10.3	3.16	8.7~13.2	4.38	12.1~18.3		10.00(2.77~10.07)	17.7	3510(520~3640)
	2.8+3.6+5.6	2.33	6.4~9.7	3.00	8.3~12.5	4.67	12.9~19.5		10.00(2.77~10.07)	17.7	3510(530~3580)
	2.8+4.0+4.0	2.55	7.0~10.7	3.65	10.1~15.3	3.65	10.1~15.3		9.85(2.77~10.07)	17.6	3490(520~3750)
	2.8+4.0+5.0	2.37	6.5~9.9	3.39	9.3~14.2	4.24	11.7~17.7		10.00(2.78~10.10)	18.0	3570(530~3640)
	2.8+4.0+5.6	2.26	6.2~9.4	3.23	8.9~13.5	4.51	12.4~18.9		10.00(2.78~10.11)	17.7	3510(530~3640)
	2.8+5.0+5.0	2.18	6.0~9.1	3.91	10.8~16.3	3.91	10.8~16.3		10.00(2.78~10.13)	17.5	3460(530~3590)
	2.8+5.0+5.6	2.09	5.8~8.7	3.73	10.3~15.6	4.18	11.5~17.5		10.00(2.78~10.14)	17.2	3400(530~3590)
	2.8+5.6+5.6	2.00	5.5~8.4	4.00	11.0~16.7	4.00	11.0~16.7		10.00(2.78~10.14)	17.2	3400(530~3530)
	3.6+3.6+3.6	3.28	9.0~13.7	3.28	9.0~13.7	3.28	9.0~13.7		9.85(2.77~10.07)	17.6	3490(520~3750)
	3.6+3.6+4.0	3.21	8.8~13.4	3.21	8.8~13.4	3.58	9.9~15.0		10.00(2.78~10.10)	18.6	3680(530~3810)
	3.6+3.6+5.0	2.95	8.1~12.3	2.95	8.1~12.3	4.10	11.3~17.1		10.00(2.78~10.13)	17.7	3510(530~3700)
	3.6+3.6+5.6	2.81	7.7~11.7	2.81	7.7~11.7	4.38	12.1~18.3		10.00(2.78~10.14)	17.7	3510(530~3710)
	3.6+4.0+4.0	3.10	8.5~13.0	3.45	9.5~14.4	3.45	9.5~14.4		10.00(2.78~10.14)	18.6	3680(530~3810)
	3.6+4.0+5.0	2.86	7.9~12.0	3.17	8.7~13.2	3.97	10.9~16.6		10.00(2.79~10.16)	18.0	3570(530~3700)
	3.6+4.0+5.6	2.73	7.5~11.4	3.03	8.3~12.7	4.24	11.7~17.7		10.00(2.79~10.17)	17.7	3510(530~3700)
	3.6+5.0+5.0	2.64	7.3~11.0	3.68	10.1~15.4	3.68	10.1~15.4		10.00(2.79~10.19)	17.5	3460(530~3650)
	3.6+5.0+5.6	2.54	7.0~10.6	3.52	9.7~14.7	3.94	10.9~16.5		10.00(2.79~10.20)	17.2	3400(530~3660)
	3.6+5.6+5.6	2.44	6.7~10.2	3.78	10.4~15.8	3.78	10.4~15.8		10.00(2.79~10.21)	17.2	3400(530~3590)
	4.0+4.0+4.0	3.33	9.2~13.9	3.33	9.2~13.9	3.33	9.2~13.9		10.00(2.79~10.17)	18.6	3680(530~3880)
	4.0+4.0+5.0	3.08	8.5~12.9	3.08	8.5~12.9	3.84	10.6~16.1		10.00(2.79~10.20)	18.0	3570(530~3770)
4.0+4.0+5.6	2.94	8.1~12.3	2.94	8.1~12.3	4.12	11.3~17.2		10.00(2.79~10.20)	17.7	3510(530~3770)	
4.0+5.0+5.0	2.86	7.9~12.0	3.57	9.8~14.9	3.57	9.8~14.9		10.00(2.79~10.22)	17.5	3460(530~3650)	
4.0+5.0+5.6	2.74	7.5~11.5	3.42	9.4~14.3	3.84	10.6~16.1		10.00(2.79~10.23)	17.5	3460(530~3660)	
4.0+5.6+5.6	2.64	7.3~11.0	3.68	10.1~15.4	3.68	10.1~15.4		10.00(2.80~10.24)	17.2	3400(530~3660)	
5.0+5.0+5.0	3.33	9.2~13.9	3.33	9.2~13.9	3.33	9.2~13.9		10.00(2.80~10.25)	16.9	3350(530~3600)	
5.0+5.0+5.6	3.21	8.8~13.4	3.21	8.8~13.4	3.58	9.9~15.0		10.00(2.80~10.26)	16.9	3350(530~3610)	
4	2.2+2.2+2.2+2.2	2.09	5.8~8.7	2.09	5.8~8.7	2.09	5.8~8.7	2.09	8.35(2.70~10.69)	10.7	2110(530~3450)
	2.2+2.2+2.2+2.8	2.06	5.7~8.6	2.06	5.7~8.6	2.06	5.7~8.6	2.62	8.80(2.86~10.69)	11.8	2340(530~3450)
	2.2+2.2+2.2+3.6	2.03	5.6~8.5	2.03	5.6~8.5	2.03	5.6~8.5	3.31	9.40(2.87~10.72)		

5 室用

■5M1003AV (冷房)

室内機組合せ		冷房能力(kW)										電気特性		
		A室		B室		C室		D室		E室		合計能力	運転電流(A)	消費電力(W)
4室	2.2+2.2+3.6+3.6	1.90	5.2~7.9	1.90	5.2~7.9	3.10	8.5~13.0	3.10	8.5~13.0			10.00(2.87~10.74)	15.2	3010(530~3520)
	2.2+2.2+3.6+4.0	1.83	5.0~7.6	1.83	5.0~7.6	3.00	8.3~12.5	3.34	9.2~14.0			10.00(2.88~10.76)	15.2	3010(530~3520)
	2.2+2.2+3.6+5.0	1.69	4.7~7.1	1.69	4.7~7.1	2.77	7.6~11.6	3.85	10.6~16.1			10.00(2.88~10.77)	14.9	2960(530~3460)
	2.2+2.2+3.6+5.6	1.62	4.5~6.8	1.62	4.5~6.8	2.65	7.3~11.1	4.11	11.3~17.2			10.00(2.88~10.77)	14.9	2960(530~3470)
	2.2+2.2+4.0+4.0	1.77	4.9~7.4	1.77	4.9~7.4	3.23	8.9~13.5	3.23	8.9~13.5			10.00(2.88~10.77)	15.2	3010(530~3510)
	2.2+2.2+4.0+5.0	1.64	4.5~6.9	1.64	4.5~6.9	2.99	8.2~12.5	3.73	10.3~15.6			10.00(2.88~10.78)	14.9	2950(530~3460)
	2.2+2.2+4.0+5.6	1.57	4.3~6.6	1.57	4.3~6.6	2.86	7.9~12.0	4.00	11.0~16.7			10.00(2.88~10.78)	14.9	2960(530~3460)
	2.2+2.2+5.0+5.0	1.53	4.2~6.4	1.53	4.2~6.4	3.47	9.6~14.5	3.47	9.6~14.5			10.00(2.88~10.79)	14.6	2900(530~3480)
	2.2+2.2+5.0+5.6	1.47	4.0~6.1	1.47	4.0~6.1	3.33	9.2~13.9	3.73	10.3~15.6			10.00(2.88~10.79)	14.6	2900(530~3410)
	2.2+2.2+5.6+5.6	1.41	3.9~5.9	1.41	3.9~5.9	3.59	9.9~15.0	3.59	9.9~15.0			10.00(2.88~10.79)	14.7	2910(530~3410)
	2.2+2.8+2.8+2.8	2.02	5.6~8.4	2.56	7.1~10.7	2.56	7.1~10.7	2.56	7.1~10.7			9.70(2.86~10.69)	14.2	2820(530~3450)
	2.2+2.8+2.8+3.6	1.93	5.3~8.1	2.46	6.8~10.3	2.46	6.8~10.3	3.15	8.7~13.2			10.00(2.87~10.72)	15.2	3010(530~3520)
	2.2+2.8+2.8+4.0	1.86	5.1~7.8	2.37	6.5~9.9	2.37	6.5~9.9	3.40	9.4~14.2			10.00(2.87~10.73)	15.2	3010(530~3520)
	2.2+2.8+2.8+5.0	1.72	4.7~7.2	2.19	6.0~9.2	2.19	6.0~9.2	3.90	10.7~16.3			10.00(2.87~10.74)	14.9	2960(530~3460)
	2.2+2.8+2.8+5.6	1.64	4.5~6.9	2.09	5.8~8.7	2.09	5.8~8.7	4.18	11.5~17.5			10.00(2.87~10.75)	14.9	2960(530~3470)
	2.2+2.8+3.6+3.6	1.80	5.0~7.5	2.30	6.3~9.6	2.95	8.1~12.3	2.95	8.1~12.3			10.00(2.87~10.74)	15.2	3010(530~3520)
	2.2+2.8+3.6+4.0	1.75	4.8~7.3	2.22	6.1~9.3	2.86	7.9~12.0	3.17	8.7~13.2			10.00(2.88~10.76)	15.2	3010(530~3520)
	2.2+2.8+3.6+5.0	1.62	4.5~6.8	2.06	5.7~8.6	2.65	7.3~11.1	3.67	10.1~15.3			10.00(2.88~10.77)	14.9	2960(530~3460)
	2.2+2.8+3.6+5.6	1.55	4.3~6.5	1.97	5.4~8.2	2.54	7.0~10.6	3.94	10.9~16.5			10.00(2.88~10.77)	14.9	2960(530~3470)
	2.2+2.8+4.0+4.0	1.69	4.7~7.1	2.15	5.9~9.0	3.08	8.5~12.9	3.08	8.5~12.9			10.00(2.88~10.77)	15.2	3010(530~3510)
	2.2+2.8+4.0+5.0	1.57	4.3~6.6	2.00	5.5~8.4	2.86	7.9~12.0	3.57	9.8~14.9			10.00(2.88~10.78)	14.9	2950(530~3460)
	2.2+2.8+4.0+5.6	1.51	4.2~6.3	1.92	5.3~8.0	2.74	7.5~11.5	3.83	10.6~16.0			10.00(2.88~10.78)	14.9	2960(530~3460)
	2.2+2.8+5.0+5.0	1.47	4.0~6.1	1.87	5.2~7.8	3.33	9.2~13.9	3.33	9.2~13.9			10.00(2.88~10.79)	14.6	2900(530~3480)
	2.2+2.8+5.0+5.6	1.41	3.9~5.9	1.79	4.9~7.5	3.21	8.8~13.4	3.59	9.9~15.0			10.00(2.88~10.79)	14.6	2900(530~3410)
	2.2+3.6+3.6+3.6	1.69	4.7~7.1	2.77	7.6~11.6	2.77	7.6~11.6	2.77	7.6~11.6			10.00(2.88~10.77)	15.2	3010(530~3520)
	2.2+3.6+3.6+4.0	1.64	4.5~6.9	2.69	7.4~11.2	2.69	7.4~11.2	2.98	8.2~12.5			10.00(2.88~10.78)	15.2	3010(530~3520)
	2.2+3.6+3.6+5.0	1.53	4.2~6.4	2.50	6.9~10.4	2.50	6.9~10.4	3.47	9.6~14.5			10.00(2.88~10.79)	14.9	2960(530~3530)
	2.2+3.6+3.6+5.6	1.47	4.0~6.1	2.40	6.6~10.0	2.40	6.6~10.0	3.73	10.3~15.6			10.00(2.88~10.79)	14.9	2960(530~3470)
	2.2+3.6+4.0+4.0	1.59	4.4~6.6	2.61	7.2~10.9	2.90	8.0~12.1	2.90	8.0~12.1			10.00(2.88~10.79)	15.2	3010(530~3580)
	2.2+3.6+4.0+5.0	1.49	4.1~6.2	2.43	6.7~10.2	2.70	7.4~11.3	3.38	9.3~14.1			10.00(2.88~10.80)	14.9	2950(530~3530)
	2.2+3.6+4.0+5.6	1.43	3.9~6.0	2.34	6.4~9.8	2.60	7.2~10.9	3.63	10.0~15.2			10.00(2.88~10.80)	14.9	2960(530~3530)
	2.2+4.0+4.0+4.0	1.54	4.2~6.4	2.82	7.8~11.8	2.82	7.8~11.8	2.82	7.8~11.8			10.00(2.88~10.80)	15.2	3010(530~3580)
	2.2+4.0+4.0+5.0	1.45	4.0~6.1	2.63	7.2~11.0	2.63	7.2~11.0	3.29	9.1~13.8			10.00(2.88~10.80)	14.9	2950(530~3530)
	2.8+2.8+2.8+2.8	2.50	6.9~10.4	2.50	6.9~10.4	2.50	6.9~10.4	2.50	6.9~10.4			10.00(2.86~10.69)	15.2	3010(530~3450)
	2.8+2.8+2.8+3.6	2.33	6.4~9.7	2.33	6.4~9.7	2.33	6.4~9.7	3.01	8.3~12.6			10.00(2.87~10.72)	15.2	3010(530~3520)
	2.8+2.8+2.8+4.0	2.26	6.2~9.4	2.26	6.2~9.4	2.26	6.2~9.4	3.22	8.9~13.5			10.00(2.87~10.73)	15.2	3010(530~3520)
	2.8+2.8+2.8+5.0	2.09	5.8~8.7	2.09	5.8~8.7	2.09	5.8~8.7	3.73	10.3~15.6			10.00(2.87~10.74)	14.9	2960(530~3460)
	2.8+2.8+2.8+5.6	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	4.00	11.0~16.7			10.00(2.87~10.75)	14.9	2960(530~3470)
	2.8+2.8+3.6+3.6	2.19	6.0~9.2	2.19	6.0~9.2	2.81	7.7~11.7	2.81	7.7~11.7			10.00(2.87~10.74)	15.2	3010(530~3520)
	2.8+2.8+3.6+4.0	2.12	5.8~8.9	2.12	5.8~8.9	2.73	7.5~11.4	3.03	8.3~12.7			10.00(2.88~10.76)	15.2	3010(530~3520)
2.8+2.8+3.6+5.0	1.97	5.4~8.2	1.97	5.4~8.2	2.54	7.0~10.6	3.52	9.7~14.7			10.00(2.88~10.77)	14.9	2960(530~3460)	
2.8+2.8+3.6+5.6	1.89	5.2~7.9	1.89	5.2~7.9	2.43	6.7~10.2	3.79	10.4~15.8			10.00(2.88~10.77)	14.9	2960(530~3470)	
2.8+2.8+4.0+4.0	2.06	5.7~8.6	2.06	5.7~8.6	2.94	8.1~12.3	2.94	8.1~12.3			10.00(2.88~10.77)	15.2	3010(530~3510)	
2.8+2.8+4.0+5.0	1.92	5.3~8.0	1.92	5.3~8.0	2.74	7.5~11.5	3.42	9.4~14.3			10.00(2.88~10.78)	14.9	2950(530~3460)	
2.8+2.8+4.0+5.6	1.84	5.1~7.7	1.84	5.1~7.7	2.63	7.2~11.0	3.69	10.2~15.4			10.00(2.88~10.78)	14.9	2960(530~3460)	
2.8+2.8+5.0+5.0	1.79	4.9~7.5	1.79	4.9~7.5	3.21	8.8~13.4	3.21	8.8~13.4			10.00(2.88~10.79)	14.6	2900(530~3480)	
2.8+3.6+3.6+3.6	2.05	5.6~8.6	2.65	7.3~11.1	2.65	7.3~11.1	2.65	7.3~11.1			10.00(2.88~10.77)	15.2	3010(530~3520)	
2.8+3.6+3.6+4.0	2.00	5.5~8.4	2.57	7.1~10.7	2.57	7.1~10.7	2.86	7.9~12.0			10.00(2.88~10.78)	15.2	3010(530~3520)	
2.8+3.6+3.6+5.0	1.87	5.2~7.8	2.40	6.6~10.0	2.40	6.6~10.0	3.33	9.2~13.9			10.00(2.88~10.79)	14.9	2960(530~3530)	
2.8+3.6+3.6+5.6	1.79	4.9~7.5	2.31	6.4~9.7	2.31	6.4~9.7	3.59	9.9~15.0			10.00(2.88~10.79)	14.9	2960(530~3470)	
2.8+3.6+4.0+4.0	1.94	5.3~8.1	2.50	6.9~10.4	2.78	7.7~11.6	2.78	7.7~11.6			10.00(2.88~10.79)	15.2	3010(530~3580)	
2.8+3.6+4.0+5.0	1.82	5.0~7.6	2.34	6.4~9.8	2.60	7.2~10.9	3.24	8.9~13.5			10.00(2.88~10.80)	14.9	2950(530~3530)	
2.8+4.0+4.0+4.0	1.90	5.2~7.9	2.70	7.4~11.3	2.70	7.4~11.3	2.70	7.4~11.3			10.00(2.88~10.80)	15.2	3010(530~3580)	
3.6+3.6+3.6+3.6	2.50	6.9~10.4	2.50	6.9~10.4	2.50	6.9~10.4	2.50	6.9~10.4			10.00(2.88~10.79)	15.2	3010(530~3580)	
3.6+3.6+3.6+4.0	2.43	6.7~10.2	2.43	6.7~10.2	2.43	6.7~10.2	2.71	7.5~11.3			10.00(2.88~10.80)	15.2	3010(530~3580)	
3.6+3.6+4.0+4.0	2.37	6.5~9.9	2.37	6.5~9.9	2.63	7.2~11.0	2.63	7.2~11.0			10.00(2.88~10.80)	15.2	3010(530~3580)	
3.6+4.0+4.0+4.0	2.32	6.4~9.7	2.56	7.1~10.7	2.56	7.1~10.7	2.56	7.1~10.7			10.00(2.88~10.81)	15.2	3010(530~3580)	
5室	2.2+2.2+2.2+2.2+2.2	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	2.00	5.5~8.4	10.00(2.95~11.00)	14.4	2850(530~3310)
	2.2+2.2+2.2+2.2+2.8	1.90	5.2~7.9	1.90	5.2~7.9	1.90	5.2~7.9	1.90	5.2~7.9	2.40	6.6~10.0	10.00(2.95~10.99)	14.4	2850(530~3310)
	2.2+2.2+2.2+2.2+3.6	1.77	4.9~7.4	1.77	4.9~7.4	1.77	4.9~7.4	1.77	4.9~7.4	2.92	8.0~12.2	10.00(2.95~10.97)	14.4	2850(530~3310)
	2.2+2.2+2.2+2.2+4.0	1.72	4.7~7.2	1.72	4.7~7.2	1.72	4.7~7.2	1.72	4.7~7.2	3.12	8.6~13.0	10.00(2.94~10.96)	14.4	2850(530~3310)
	2.2+2.2+2.2+2.2+5.0	1.59	4.4~6.6	1.59	4.4~6.6	1.59	4.4~6.6	1.59	4.4~6.6	3.64	10.0~15.2	10.00(2.94~10.95)	14.1	2800(530~3250)
	2.2+2.2+2.2+2.2+5.6	1.53	4.2~6.4	1.53	4.2~6.4	1.53	4.2~6.4	1.53	4.2~6.4	3.88	10.7~16.2	10.00(2.94~10.95)	14.1	2800(530~3260)
	2.2+2.2+2.2+2.8+2.8	1.80	5.0~7.5	1.80	5.0~7.5	1.80	5.0~7.5	2.30	6.3~9.6	2.30	6.3~9.6	10.00(2.95~10.99)	14.4	2850(530~3310)
	2.2+2.2+2.2+2.8+3.6	1.69	4.7~7.1	1.69	4.7~7.1	1.69	4.7~7.1	2.15	5.9~9.0	2.78	7.7~11.6	10.00(2.95~10.97)	14.4	2850(530~3310)
	2.2+2.2+2.2+2.8+4.0	1.64	4.5~6.9	1.64	4.5~6.9	1.64	4.5~6.9	2.09	5.8~8.7	2.99	8.2~12.5	10.00(2.94~10.96)	14.4	2850(530~3310)
	2.2+2.2+2.2+2.8+5.0	1.53	4.2~6.4	1.53	4.2~6.4	1.53	4.2~6.4	1.94	5.3~8.1	3.47	9.6~14.5	10.00(2.94~10.95)	14.1	2800(530~3250)
	2.2+2.2+2.2+2.8+5.6	1.47	4.0~6.1	1.47	4.0~6.1	1.47	4.0~6.1	1.87	5.2~7.8	3.72	10.2~15.5	10.00(2.94~10.95)	14.1	2800(530~3260)
	2.2+2.2+2.2+3.6+3.6	1.59	4.4~6.6	1.59	4.4~6.6	1.59	4.4~6.6	2.61	7.2~10.9	2.61	7.2~10.9	10.00(2.94~10.95)	14.4	2850(530~3310)
	2.2+2.2+2.2+3.6+4.0	1.55	4.3~6.5	1.55	4.3~6.5	1.55	4.3~6.5	2.54	7.0~10.6	2.81	7.7~11.7	10.00(2.94~10.94)	14.4	2850(530~3310)
	2.2+2.2+2.2+3.6+5.0	1.45	4.0~6.1	1.45	4.0~6.1	1.45	4.0~6.1	2.37	6.5~9.9	3.28	9.0~13.7	10.00(2.94~10.93)	14.1	



# 5 室用

## ■5M1003AV (暖房・床暖房接続)

[ ] 内の組合せは床暖房ユニットを示します。

室内機・床暖房 ユニット組合せ	暖房/加熱能力 (外気7℃) (kW)					暖房/加熱低溫能力(外気2℃) (kW)					電気特性				
	A室	B室	C室	D室	E室	合計能力	A室	B室	C室	D室	E室	計動	運転電流(A)(最大)	消費電力(W)	
1室	[5.0]	5.00	16.4				5.00(2.47~5.95)	4.31				4.31	7.4(8.4)	1470(560~1660)	
	[7.0]	7.00	22.9				7.00(2.47~8.25)	5.97				5.97	9.8(11.6)	1940(490~2300)	
2室	[5.0]+2.2	5.00	16.4	3.20	7.1~8.8		8.20(2.48~10.04)	4.43	2.84			7.27	10.5(13.8)	2080(520~2740)	
	[5.0]+2.8	5.00	16.4	4.00	8.8~11.0		9.00(2.48~10.79)	4.34	3.47			7.81	11.7(14.9)	2310(510~2950)	
	[5.0]+3.6	5.00	16.4	5.00	11.0~13.8		10.00(2.64~11.56)	4.19	4.19			8.37	13.1(16.0)	2600(540~3160)	
	[5.0]+4.0	5.00	16.4	5.60	12.3~15.4		10.60(3.13~11.56)	3.95	4.42			8.37	14.0(15.8)	2780(640~3120)	
	[5.0]+5.0	4.55	14.9	6.45	14.2~17.8		11.00(3.13~12.17)	3.64	5.17			8.81	14.4(16.5)	2850(630~3260)	
	[5.0]+5.6	4.33	14.2	6.67	14.7~18.4		11.00(3.12~12.32)	3.51	5.41			8.92	14.2(16.6)	2820(620~3290)	
	[7.0]+2.2	7.00	22.9	3.20	7.1~8.8		10.20(3.13~11.56)	5.74	2.63			8.37	13.4(15.9)	2660(640~3150)	
	[7.0]+2.8	7.00	22.9	4.00	8.8~11.0		11.00(3.13~11.71)	5.40	3.08			8.48	14.6(15.9)	2900(640~3150)	
	[7.0]+3.6	6.42	21.0	4.58	10.1~12.6		11.00(3.13~12.17)	5.14	3.67			8.81	14.4(16.5)	2850(630~3270)	
	[7.0]+4.0	6.11	20.0	4.89	10.8~13.5		11.00(3.12~12.17)	4.89	3.92			8.81	14.3(16.4)	2830(620~3240)	
3室	[5.0]+5.0	5.46	17.9	5.54	12.2~15.3		11.00(3.12~12.33)	4.43	4.50			8.93	14.0(16.4)	2780(620~3240)	
	[7.0]+5.6	5.24	17.2	5.76	12.7~15.9		11.00(3.12~12.63)	4.36	4.79			9.15	13.9(16.9)	2760(610~3350)	
	[5.0]+[5.0]	5.00	16.4	5.00	16.4		10.00(2.64~11.56)	4.19	4.19			8.37	13.4(16.1)	2650(580~3180)	
	[5.0]+[7.0]	4.58	15.0	6.42	21.0		11.00(3.13~12.17)	3.67	5.14			8.81	14.5(16.5)	2880(670~3270)	
	[5.0]+2.2+2.2	4.82	15.8	3.09	6.8~8.5	3.09	6.8~8.5	11.00(3.26~11.72)	3.73	2.38	2.38		8.49	14.5(15.8)	2880(660~3130)
	[5.0]+2.2+2.8	4.50	14.7	2.89	6.4~8.0	3.61	8.0~9.9	11.00(3.26~12.18)	3.62	2.31	2.89		8.82	14.3(16.5)	2840(650~3260)
	[5.0]+2.2+3.6	4.17	13.7	2.66	5.9~7.3	4.17	9.2~11.5	11.00(3.26~12.32)	3.38	2.16	3.38		8.92	14.2(16.6)	2820(650~3290)
	[5.0]+2.2+4.0	3.99	13.1	2.55	5.6~7.0	4.46	9.8~12.3	11.00(3.25~12.32)	3.23	2.07	3.62		8.92	14.0(16.4)	2780(640~3240)
	[5.0]+2.2+5.0	3.60	11.8	2.30	5.1~6.3	5.10	11.2~14.0	11.00(3.25~12.61)	2.98	1.91	4.24		9.13	13.8(16.6)	2740(640~3290)
	[5.0]+2.2+5.6	3.46	11.3	2.21	4.9~6.1	5.33	11.7~14.7	11.00(3.25~12.75)	2.90	1.86	4.47		9.23	13.7(16.8)	2720(630~3330)
4室	[5.0]+2.8+2.8	4.24	13.9	3.38	7.4~9.3	3.38	7.4~9.3	11.00(3.26~12.33)	3.43	2.75	2.75		8.93	14.2(16.6)	2810(650~3280)
	[5.0]+2.8+3.6	3.93	12.9	3.14	6.9~8.7	3.93	8.7~10.8	11.00(3.26~12.32)	3.19	2.54	3.19		8.92	14.1(16.4)	2790(640~3250)
	[5.0]+2.8+4.0	3.77	12.4	3.01	6.6~8.3	4.22	9.3~11.6	11.00(3.25~12.62)	3.13	2.50	3.51		9.14	13.9(16.8)	2760(640~3320)
	[5.0]+2.8+5.0	3.42	11.2	2.73	6.0~7.5	4.85	10.7~13.4	11.00(3.25~12.76)	2.87	2.30	4.07		9.24	13.7(16.8)	2720(630~3320)
	[5.0]+2.8+5.6	3.30	10.8	2.63	5.8~7.2	5.07	11.2~14.0	11.00(3.25~12.75)	2.76	2.21	4.26		9.23	13.7(16.7)	2710(630~3300)
	[5.0]+3.6+3.6	3.67	12.0	3.67	8.1~10.1	3.67	8.1~10.1	11.00(3.24~12.89)	3.11	3.11	3.11		9.34	13.9(17.2)	2760(640~3400)
	[5.0]+3.6+4.0	3.53	11.6	3.53	7.8~9.7	3.94	8.7~10.9	11.00(3.25~12.75)	2.96	2.96	3.31		9.23	13.8(16.9)	2740(640~3340)
	[5.0]+3.6+5.0	3.22	10.5	3.22	7.1~8.9	4.56	10.0~12.6	11.00(3.24~12.89)	2.73	2.73	3.88		9.34	13.6(16.9)	2700(630~3340)
	[5.0]+3.6+5.6	3.11	10.2	3.11	6.9~8.6	4.78	10.5~13.2	11.00(3.24~12.89)	2.64	2.64	4.06		9.34	13.5(16.8)	2680(630~3330)
	[5.0]+4.0+4.0	3.40	11.1	3.80	8.4~10.5	3.80	8.4~10.5	11.00(3.24~12.75)	2.85	3.19	3.19		9.23	13.7(16.8)	2720(630~3320)
5室	[5.0]+4.0+5.0	3.11	10.2	3.48	7.7~9.6	4.41	9.7~12.1	11.00(3.24~12.89)	2.63	2.96	3.75		9.34	13.5(16.8)	2680(630~3330)
	[5.0]+4.0+5.6	3.00	9.8	3.37	7.4~9.3	4.63	10.2~12.8	11.00(3.24~12.88)	2.54	2.86	3.93		9.33	13.5(16.7)	2670(630~3310)
	[5.0]+5.0+5.0	2.86	9.4	4.07	9.0~11.2	4.07	9.0~11.2	11.00(3.24~12.87)	2.42	3.45	3.45		9.32	13.4(16.6)	2660(620~3290)
	[5.0]+5.0+5.6	2.78	9.1	3.94	8.7~10.9	4.28	9.4~11.8	11.00(3.23~12.86)	2.35	3.34	3.62		9.31	13.4(16.5)	2650(620~3270)
	[7.0]+2.2+2.2	5.74	18.8	2.63	5.8~7.2	2.63	5.8~7.2	11.00(3.26~12.32)	4.66	2.13	2.13		8.92	14.3(16.5)	2830(650~3260)
	[7.0]+2.2+2.8	5.42	17.8	2.48	5.5~6.8	3.10	6.8~8.5	11.00(3.26~12.32)	4.40	2.01	2.51		8.92	14.0(16.3)	2770(640~3230)
	[7.0]+2.2+3.6	5.06	16.6	2.32	5.1~6.4	3.62	8.0~10.0	11.00(3.25~12.61)	4.21	1.92	3.00		9.13	13.8(16.7)	2740(640~3300)
	[7.0]+2.2+4.0	4.87	16.0	2.23	4.9~6.1	3.90	8.6~10.7	11.00(3.25~12.75)	4.09	1.87	3.27		9.23	13.8(16.8)	2730(640~3330)
	[7.0]+2.2+5.0	4.46	14.6	2.03	4.5~5.6	4.51	9.9~12.4	11.00(3.24~12.89)	3.78	1.73	3.83		9.34	13.6(16.9)	2690(630~3340)
	[7.0]+2.2+5.6	4.30	14.1	1.97	4.3~5.4	4.73	10.4~13.0	11.00(3.24~12.89)	3.65	1.67	4.02		9.34	13.5(16.8)	2680(630~3320)
6室	[7.0]+2.8+2.8	5.14	16.8	2.93	6.5~8.1	2.93	6.5~8.1	11.00(3.26~12.62)	4.26	2.44	2.44		9.14	13.9(16.8)	2760(640~3320)
	[7.0]+2.8+3.6	4.81	15.8	2.75	6.1~7.6	3.44	7.6~9.5	11.00(3.25~12.76)	4.04	2.31	2.89		9.24	13.7(16.8)	2720(630~3330)
	[7.0]+2.8+4.0	4.64	15.2	2.65	5.8~7.3	3.71	8.2~10.2	11.00(3.25~12.75)	3.90	2.22	3.11		9.23	13.7(16.7)	2710(630~3310)
	[7.0]+2.8+5.0	4.26	14.0	2.43	5.4~6.7	4.31	9.5~11.9	11.00(3.24~12.89)	3.62	2.06	3.66		9.34	13.5(16.8)	2680(630~3320)
	[7.0]+2.8+5.6	4.12	13.5	2.35	5.2~6.5	4.53	10.0~12.5	11.00(3.24~12.89)	3.49	2.00	3.85		9.34	13.5(16.7)	2670(620~3310)
	[7.0]+3.6+3.6	4.52	14.8	3.24	7.1~8.9	3.24	7.1~8.9	11.00(3.24~12.89)	3.84	2.75	2.75		9.34	13.6(16.9)	2700(630~3350)
	[7.0]+3.6+4.0	4.37	14.3	3.13	6.9~8.6	3.50	7.7~9.6	11.00(3.24~12.89)	3.72	2.65	2.97		9.34	13.6(16.8)	2690(630~3330)
	[7.0]+3.6+5.0	4.03	13.2	2.88	6.3~7.9	4.09	9.0~11.3	11.00(3.24~12.87)	3.42	2.44	3.46		9.32	13.5(16.7)	2680(620~3310)
	[7.0]+4.0+4.0	4.24	13.9	3.38	7.4~9.3	3.38	7.4~9.3	11.00(3.24~12.88)	3.59	2.87	2.87		9.33	13.5(16.7)	2680(630~3310)
	[5.0]+[5.0]+2.2	4.17	13.7	4.17	13.7	2.66	5.9~7.3	11.00(3.26~12.32)	3.38	3.38	2.16		8.92	14.2(16.7)	2810(650~3300)
[5.0]+[5.0]+2.8	3.93	12.9	3.93	12.9	3.14	6.9~8.7	11.00(3.26~12.32)	3.19	3.19	2.54		8.92	14.1(16.4)	2790(640~3250)	
[5.0]+[5.0]+3.6	3.67	12.0	3.67	12.0	3.67	8.1~10.1	11.00(3.25~12.61)	3.04	3.04	3.04		9.13	13.9(16.7)	2750(640~3300)	
[5.0]+[5.0]+4.0	3.53	11.6	3.53	11.6	3.94	8.7~10.9	11.00(3.25~12.75)	2.96	2.96	3.31		9.23	13.8(16.8)	2730(640~3330)	
[5.0]+[5.0]+5.0	3.22	10.5	3.22	10.5	4.56	10.0~12.6	11.00(3.24~12.89)	2.73	2.73	3.88		9.34	13.7(17.0)	2720(630~3360)	
[5.0]+[5.0]+5.6	3.11	10.2	3.11	10.2	4.78	10.5~13.2	11.00(3.24~12.89)	2.64	2.64	4.06		9.34	13.6(16.9)	2690(630~3340)	
[5.0]+[7.0]+2.2	3.61	11.8	5.07	16.6	2.32	5.1~6.4	11.00(3.25~12.61)	3.01	4.20	1.92		9.13	13.8(16.7)	2740(640~3300)	
[5.0]+[7.0]+2.8	3.44	11.3	4.81	15.8	2.75	6.1~7.6	11.00(3.25~12.76)	2.89	4.04	2.31		9.24	13.7(16.8)	2720(630~3330)	
[5.0]+[7.0]+3.6	3.24	10.6	4.52	14.8	3.24	7.1~8.9	11.00(3.24~12.89)	2.75	3.84	2.75		9.34	13.6(16.9)	2700(630~3340)	
[5.0]+2.2+2.2+2.2	3.77	12.4	2.41	5.3~6.6	2.41	5.3~6.6	11.00(3.35~13.01)	3.24	2.06	2.06	2.06		9.42	13.9(17.5)	2760(660~3460)
[5.0]+2.2+2.2+2.8	3.56	11.7	2.29	5.0~6.3	2.29	5.0~6.3	11.00(3.35~13.01)	3.05	1.96	1.96	2.45		9.42	13.8(17.3)	2740(660~3430)
[5.0]+2.2+2.2+3.6	3.35	11.0	2.15	4.7~5.9	2.15	4.7~5.9	11.00(3.34~13.12)	2.90	1.85	1.85	2.90		9.50	13.7(17.4)	2710(660~3440)
[5.0]+2.2+2.2+4.0	3.24	10.6	2.07	4.6~5.7	2.07	4.6~5.7	11.00(3.33~13.11)	2.79	1.79	1.79	3.13		9.50	13.6(17.3)	2700(650~3420)
[5.0]+2.2+2.2+5.0	2.98	9.8	1.90	4.2~5.2	1.90	4.2~5.2	11.0								